

# NOMA PACK®

## NOMAPACK® U

### PROTECTED AND UNIVERSALLY USABLE

The NOMAPACK® U range consists of effective protection profiles for edges and curves of all types. Thanks to the various dimensions and thicknesses and thanks to the possibility to develop bespoke profiles, you'll always find suitable protection for your product with NOMAPACK® U.

- › Edge protection from 2 to 160 mm
- › Easy fitting Multishape version
- › Patented design

### PRODUCT FEATURES:

- › PE-LD foam
- › Supplied as lengths or coils
- › Water absorption < 1 – vol.% after 40 days
- › Recyclable
- › The tolerance of the length of the coils is up to a maximum of  $\pm 2\%$

### APPLICATIONS:

- › Tables and worktops
- › Shelves, storage units and other furniture parts
- › Mirrors, glass plates, ceramic
- › Works of art, framed pictures, etc.



### NOMAPACK® U TULIP

The „original“ – proven and reliable profile.

**COLOUR**

Standard blue

**LENGTH**


2.000 mm ±30 mm





**PACKAGING**

Lengths in boxes  
or on coils


**BOXES/COILS  
ON PALLET**

4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
5-15	16 ±2	7 ±1	3 ±3	29 ±2	560	3002243
15-25	24 ±2	8 ±1	10 ±3	35 ±3	320	3002250
25-35	35 ±2	10 ±1	20 ±4	40 ±3	240	3002257
35-45	41 ±2	12 ±2	25 ±5	46 ±3	180	3002261
45-60	57 ±2	14 ±2	30 ±5	60 ±2	100	3002267
60-80	71 ±2	15 ±2	45 ±5	66 ±2	80	3002279
80-100	92 ±3	18 ±2	60 ±10	68 ±3	72	3002288
100-120	120 ±4	21 ±2	98 ±10	80 ±3	44	3002289
m <sup>3</sup> /  = 0,50		 2040 * 590 * 390 mm				
5-15	16 ±2	7 ±1	3 ±3	29 ±2	500	3002241
15-25	24 ±2	8 ±1	10 ±3	35 ±3	220	3002248
m <sup>3</sup> /  = 0,70		 1200 * 460 mm				





## NOMAPACK® U MULTISHAPE

The high flexibility profile which adapts to every radius and angle thanks to the V-cut. The profile is supplied on coil for self-lengthening.

**COLOUR**  
Standard blue

**COILS ON PALLET**  
4

**PACKAGING**  
On coils

Type	A mm	B mm	C mm	D mm	E mm	Packaging unit m	Item code
5-15 MS	16 ±2	7 ±1	3 ±3	29 ±2	150 ±10	480	3002242
15-25 MS	24 ±2	8 ±1	10 ±3	35 ±3	170 ±10	250	3002249
25-35 MS	35 ±2	10 ±1	20 ±4	40 ±3	170 ±10	150	3002255
35-45 MS	41 ±2	12 ±2	25 ±5	46 ±3	170 ±10	140	3002260

$m^3/\text{coil} = 0,70$        $\text{coil} 1200 * 460 \text{ mm}$





## NOMAPACK® U TULIP CORNER

The easy to fix corner protection, available in various cushioning thicknesses.

### COLOUR

Standard blue





### BOXES ON PALLET


8 to NOMAPACK® U Tulip Corner 35-45

### PACKAGING

Pieces in boxes

3 from NOMAPACK® U Tulip Corner 45-60

Type	A mm	B mm	C mm	D mm	E=F mm	Packaging unit pcs	Item code
5-15	16 ±2	7 ±1	3 ±3	29 ±2	100 ±10	900	3002163
15-25	24 ±2	8 ±1	10 ±3	35 ±3	100 ±10	600	3002166
25-35	35 ±2	10 ±1	20 ±4	41 ±3	100 ±10	450	3002168
35-45	41 ±2	12 ±2	25 ±5	46 ±3	100 ±10	300	3002170
m <sup>3</sup> /  = 0,27		 785 * 585 * 585 mm					
45-60	57 ±2	14 ±2	30 ±5	60 ±2	100 ±10	500	3002173
60-80	71 ±2	15 ±2	45 ±5	66 ±2	100 ±10	400	3002175
80-100	92 ±3	18 ±2	60 ±10	68 ±3	100 ±10	280	3002178
m <sup>3</sup> /  = 0,66		 1190 * 790 * 700 mm					






### NOMAPACK® U TULIP STRETCH

The „original“ – proven profile with patented stretch system for widths up to 160 mm.

**COLOUR** Standard blue  
**LENGTH** 2.000 mm ±30 mm

**PACKAGING** Lengths in boxes  
**BOXES ON PALLET** 4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
100-120 Stretch	120-160	21 ±2	100-140	80 ±3	44	3002290

m<sup>3</sup>/☐ = 0,50      ☐ 2040 \* 590 \* 390 mm

### NOMAPACK® U TULIP STRETCH CORNER

**COLOUR** Standard blue

**PACKAGING** Pieces in boxes

**BOXES ON PALLET** 3



Type	A mm	B mm	C mm	D mm	E = F mm	Packaging unit pcs	Item code
100-120 Stretch	120-160	21 ±2	100-140	80 ±3	200 ±10	120	3002179

m<sup>3</sup>/☐ = 0,66      ☐ 1190 \* 790 \* 700 mm



### NOMAPACK® U TULIP LONG LEGS

The profile with extended legs  
for tapered corners and angles.

<b>COLOUR</b>	<b>LENGTH</b>
Standard blue	2.000 mm ±30 mm
<b>PACKAGING</b>	<b>BOXES ON PALLET</b>
Lengths in boxes	4

Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
0 - 30/70	29 ±2	14 ±1	0	94 ±6	100	3002262
30 - 40/70	38 ±2	14 ±1	26 ±10	84 ±5	100	3002266

m<sup>3</sup>/☐ = 0,50

☐ 2040 \* 590 \* 390 mm

### NOMAPACK® U TULIP 45-70

The profile with longer legs for greater protection.

**COLOUR**

Standard blue

**LENGTH**

2.000 mm ±30 mm

**PACKAGING**


Lengths in boxes

**BOXES ON PALLET**

4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
45 - 70	70 ±2	18 ±2	30 ±10	131 ±5	44	3002278
m <sup>3</sup> / = 0,50		2040 * 590 * 390 mm				



### NOMAPACK® U 100-125/120

The special edge protection for large products.

**COLOUR**

Standard blue

**LENGTH**

2.000 mm ±30 mm

**PACKAGING**

Lengths in boxes

**BOXES ON PALLET**

4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
100 - 125/120	124 ±4	19 ±2	90 ±20	123 ±3	32	3016555
m <sup>3</sup> / = 0,50		2040 * 590 * 390 mm				

## NOMAPACK® U CLASSIC

The „classic“ profile.

### COLOUR

Standard blue

### LENGTH


2.000 mm  $\pm$ 30 mm

### PACKAGING


Lengths in boxes

### BOXES ON PALLET

4




Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
10 - 20	17 $\pm$ 2	10,5 $\pm$ 1	5 $\pm$ 3	30 $\pm$ 5	420	3002246
20 - 35	31 $\pm$ 2	12 $\pm$ 1	12 $\pm$ 4	45 $\pm$ 5	210	3002259
30 - 45	41 $\pm$ 2	15 $\pm$ 1	20 $\pm$ 5	48 $\pm$ 5	160	3002275
45 - 65	60 $\pm$ 2	15 $\pm$ 1	30 $\pm$ 8	57 $\pm$ 5	92	3002277
60 - 85	80 $\pm$ 3	15 $\pm$ 1	40 $\pm$ 10	58 $\pm$ 5	90	3002281

$\text{m}^3 / \text{box} = 0,50$ 
 2040 \* 590 \* 390 mm







### NOMAPACK® U 0-3

Special edge-protection for narrow products up to 3 mm. Prevents bends against sharp edges. The profile is supplied on coil for self-lengthening.



**COLOUR**

Grey

**PACKAGING**

On coils

**COILS ON PALLET**

4

Type	A mm	B mm	D mm	Packaging unit m	Item code
0 - 3	20 ±2	11 ±1	32 ±2	590	3002253
m <sup>3</sup> / = 0,70		1200 * 460 mm			

### NOMAPACK® U 0-6

Thanks to its high cushioning thickness, this is the ideal profile for sensitive goods.

**COLOUR**


Grey

**PACKAGING**


Lengths in boxes or on coils

**BOXES/COILS ON PALLET**

4



Type	A mm	B mm	D mm	E mm	Packaging unit m	Item code
0 - 6/2 m*	28,5 ±1	14,5 ±1	37 ±1	13 ±1	320	3002269
m <sup>3</sup> / = 0,50		2040 * 590 * 390 mm			*2.000 mm ±30mm	
0 - 6	28,5 ±1	14,5 ±1	37 ±1	13 ±1	320	3002270
m <sup>3</sup> / = 0,70		1200 * 460 mm				



### NOMAPACK® U 6-12

The Profile for products with a thickness from 6 to 12 mm. Especially suitable for products with bead or seals. It is also available with an inside PE reinforcement. The profile is supplied on coil for self-lengthening.



- COLOUR**  
Standard blue
- PACKAGING**  
On coils
- COILS ON PALLET**  
4

Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
6 - 12	33 ±2	15 ±1	40 ±2	12 ±1	240	3002271
6 - 12 E-P*	33 ±2	15 ±1	40 ±2	12 ±1	240	3002272
6 - 12 CBC**	33 ±2	15 ±1	40 ±2	12 ±1	240	3002273

m<sup>3</sup>/🌀 = 0,70      🌀 1200 \* 460 mm

### NOMAPACK® U 8-12

A small profile with longer legs, ideal for ground glass edges. The profile is supplied on coil for self-lengthening.

- COLOUR**  
Standard blue
- PACKAGING**  
On coils
- COILS ON PALLET**  
4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
8 - 12	11,5 ±1	7 ±1	0 +3	30 ±5	550	3002244

m<sup>3</sup>/🌀 = 0,70      🌀 1200 \* 460 mm

\* E-P = Edge - Pad = V-Cut and perforations all 160 mm (±1.500 pcs/coil)    \*\* CBC= with inside reinforcement (coextrusion)





### NOMAPACK® U 12-18

The profile for Sensitive edges with a thickness from 12 to 18 mm.

<b>COLOUR</b>	<b>LENGTH</b>
Standard blue	2.000 mm ±30 mm
<b>PACKAGING</b>	<b>BOXES ON PALLET</b>
Lengths in boxes	4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
12 - 18	45 ±2	20 ±1	23 ±2	56 ±2	140	3002283

m<sup>3</sup>/ = 0,50      2040 \* 590 \* 390 mm

### NOMAPACK® U EXTRA PADDING

The profile with an optimal padding for heavy goods. Perfect for single or stacked goods protection.

<b>COLOUR</b>	<b>LENGTH</b>
Standard blue	2.000 mm ±30 mm
<b>PACKAGING</b>	<b>BOXES ON PALLET</b>
Lengths in boxes	4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
15 - 25/80	20 ±1	30 ±2	7 ±5	83 ±3	90	3002294
30 - 38/60*	32 ±2	19 ±1,5	20 ±6	60 ±2	140	3002287
30 - 45/55	41 ±3	25 ±2	22 ±5	73 ±6	80	3002293

m<sup>3</sup>/ = 0,50      2040 \* 590 \* 390 mm

### NOMAPACK® U HD

The ideal profile for heavy objects that requires a high compressive strength.

**COLOUR** Standard blue      **LENGTH** 2.000 mm ±30 mm

**PACKAGING** Lengths in boxes      **BOXES ON PALLET** 4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
20 - 30	31 ±3	18 ±1	28 ±3	48 ±2	180	3002282
35 - 50	45 ±2	18 ±1	24 ±3	50 ±2	140	3002286

m<sup>3</sup>/☐ = 0,50

☐ 2040 \* 590 \* 390 mm



### NOMAPACK® U FEP

The versatile protective profile with a particularly large internal diameter.

**COLOUR** Standard blue      **LENGTH** 2.000 mm ±30 mm

**PACKAGING** Lengths in boxes      **BOXES ON PALLET** 4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
FEP	65 ±5	9 ±1	5 ±5	65 ±5	120	3002245

m<sup>3</sup>/☐ = 0,50

☐ 2040 \* 590 \* 390 mm