

# PRODUCT DATA AIRCAP®

Issue date: 2018-10-11 Replace date: 2010-12-20

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product name:** Aircap<sup>®</sup>

Chemical name: Bubble wrap

**Supplier:** Sealed Air Svenska AB

Address: Påtorpsvägen 2, Norra Industriområdet

Box 146

578 23 Aneby

**Tel:** +46 380 - 471 00 **Fax:** +46 380 - 471 11

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS-nr	Wt%	Hazardsymbol/R-fraser
LD-polyethylene	9002-88-4		-
Nylon	25038-54-4		-

#### 3. HAZARDS IDENTIFICATION

**Risk phrases:** No immediate danger

## 4. FIRST AID MEASURES

**Inhalation:** In case of inhalation of gases, which can be related at

high temperature: fresh air and rest. If symptoms stay, get

medical attention.

**Skin contact:** In case of contact with **hot** product: flush with plenty of

water. Don't try to remove plastic from skin by own hand.

In case of cold product: wash with water and soap.

**Eye contact:** In case of contact with **hot** product: Flush eyes with

plenty of water at least 15 minutes, get medical attention,

hospital eye-specialist.



#### 5. FIRE FIGHTING MEASURES

**Extinguishing Media:** Water and dry chemical (powder extinguisher)

Special fire fighting

procedures:

Fire fighters should be equipped with positive pressured self-contained breathing apparatus in

enclosed area.

Fire and explosion

hazards:

Decomposition at high temperature gives small

quantities of carbon monoxide and

carbonhydrogens.

## **6. ACCIDENTAL RELEASE MEASURES**

Personal protective equipment: NA

Environmental: NA

**Decontamination:** NA

## 7. HANDLING AND STORAGE

Arrangement instructions: NA

**Preventive of fire:** Avoid sparks and open fire

Storage: NA

Packing to avoid: NA

Suitable packing: NA

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Technical protective equipment: NA

Hygiene: NA

Border value: NA

Personal Protective Equipment: NA

Respiratory system: NA

Hands: NA



Eyes: NA

Body: NA

## 9. PHYSICAL AND CHEMICAL PROPERTIES

BU	
PH	-
Boiling point (°C)	-
Melting point (°C)	110
Decomposition. Temp (°C)	>350
Flash point (°C)	-
Spontaneous combustions temp (°C)	360
Combustible (firm gas)	-
Explosive property	-
Explosive limit	-
Oxidized property	-
Steam pressure (kPa)	-
Steam density (air =1)	-
Density (g/cm³)	0,030-0,131
Relativ density	-
Dissolvability (weight-%)	-
Distribution coefficient	-
Oktanol/water	-

# 10. STABILITY AND REACTIVITY

**Stability:** Stable material in room temperature

Conditions to avoid: NA

Material to avoid: NA

Decompose products: NA

# 11. TOXICOLOGICAL INFORMATION

Acute poisonous ness: NA

Poisonous ness on inhalation: NA

Skin contact: NA

Eye contact: NA

Refreshments: NA

Other information: NA



## 12. ECOLOGICAL INFORMATION

Information: NA

Breaking down: NA

Storing effects: NA

Ecologically harmful: NA

## 13. DISPOSAL CONSIDERATIONS

**Disposal method:** Can recycled with LD-polyethylene

Handling of package: Connected to the REPA-register

## **14. TRANSPORT INFORMATION**

UN-nr: NA

ADR-class: NA

ADR-nr: NA

IMO-classing: NA

IATA-classing: NA

## **15. REGULATORY INFORMATION**

Content: NA

CEE-number: NA

Hazard symbol: NA

Risk phrase: NA

S-phrases: NA

## **16. OTHER INFORMATION**





Product is freonfree Product does not contain halogens, sulphur or silicones Product does not contain cadmium, lead or other heavy metals